

# EC Declaration of Performance

According to  
(EU) No 305/2011-Construction Products Regulation  
No. J-32-20502-18

**Manufacturer name: HISENER INDUSTRIAL CO.,LTD**

**Address:** No.31 Mijichang,Liangfeng Village,Dingqiao Town,Haining  
City,Zhejiang,China

Declare under our sole responsibility that the product:

**Product: Drywall Screws  $\Phi$  3.5mm**

**Intended use:** used for gypsum plasterboard systems

**Model:** type of head (Bugle head ); type of recess(Phillips); thread: fine or coarse  
thread; Material :SAE C1022A ; Coating type: phosphate

**ITT Report No. J-32-20502-18**

| Essential characteristics   | performance | Harmonized technical specification |
|-----------------------------|-------------|------------------------------------|
| Tensile strength in bending | pass        | EN14566-2:2008+A1:2009             |
| Withdrawal strength         | pass        | EN14566-2:2008+A1:2009             |
| Drilling ability            | pass        | EN14566-2:2008+A1:2009             |
| Protective layer            | class 48    | EN14566-2:2008+A1:2009             |
| Hardness                    | pass        | EN14566-2:2008+A1:2009             |
| Length                      | pass        | EN14566-2:2008+A1:2009             |

to which this declaration relates is in conformity with  
**System 4 of (EU) No 305/2011 and EN14566**

**Notified Body: 1015 STROJIRENSKY ZKUSEBNI USTAV s.p.**

**Address: Tovarni 5,466 21 Jablonec nad Nisou Czech Republic**



**Manufacturer:**  
*For and on behalf of*  
**HISENER INDUSTRIAL CO., LTD.**

.....  
*Authorized Signature(s)*

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**2018-11-08**

**Date of Issue**

# EC Declaration of Performance

According to  
(EU) No 305/2011-Construction Products Regulation  
No. J-32-20503-18

**Manufacturer name: HISENER INDUSTRIAL CO.,LTD**

**Address:** No.31 Mijiachang,Liangfeng Village,Dingqiao Town,Haining  
City,Zhejiang,China

Declare under our sole responsibility that the product:

**Product: Drywall Screws  $\Phi$ 3.9mm**

**Intended use:** used for gypsum plasterboard systems

**Model:** type of head (Bugle head ); type of recess(Phillips); thread: fine or coarse  
thread; Material :SAE C1022A ; Coating type: phosphate

**ITT Report No. J-32-20503-18**

| Essential characteristics   | performance | Harmonized technical specification |
|-----------------------------|-------------|------------------------------------|
| Tensile strength in bending | pass        | EN14566-2:2008+A1:2009             |
| Withdrawal strength         | pass        | EN14566-2:2008+A1:2009             |
| Drilling ability            | pass        | EN14566-2:2008+A1:2009             |
| Protective layer            | class 48    | EN14566-2:2008+A1:2009             |
| Hardness                    | pass        | EN14566-2:2008+A1:2009             |
| Length                      | pass        | EN14566-2:2008+A1:2009             |

to which this declaration relates is in conformity with  
**System 4 of (EU) No 305/2011 and EN14566**

**Notified Body: 1015 STROJIRENSKY ZKUSEBNI USTAV s.p.**

**Address: Tovarni 5,466 21 Jablonec nad Nisou Czech Republic**



**Manufacturer:**

*For and on behalf of*  
**HISENER INDUSTRIAL CO., LTD.**

.....  
*Authorized Signature(s)*

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**2018-11-08**

**Date of Issue**

# EC Declaration of Performance

According to  
(EU) No 305/2011-Construction Products Regulation  
No. J-32-20504-18

**Manufacturer name: HISENER INDUSTRIAL CO.,LTD**

**Address:** No.31 Mijiachang,Liangfeng Village,Dingqiao Town,Haining  
City,Zhejiang,China

Declare under our sole responsibility that the product:

**Product: Drywall Screws  $\Phi$ 4.2mm**

**Intended use:** used for gypsum plasterboard systems

**Model:** type of head (Bugle head ); type of recess(Phillips); thread: fine or coarse  
thread; Material :SAE C1022A ; Coating type: phosphate

**ITT Report No. J-32-20504-18**

| Essential characteristics   | performance | Harmonized technical specification |
|-----------------------------|-------------|------------------------------------|
| Tensile strength in bending | pass        | EN14566-2:2008+A1:2009             |
| Withdrawal strength         | pass        | EN14566-2:2008+A1:2009             |
| Drilling ability            | pass        | EN14566-2:2008+A1:2009             |
| Protective layer            | class 48    | EN14566-2:2008+A1:2009             |
| Hardness                    | pass        | EN14566-2:2008+A1:2009             |
| Length                      | pass        | EN14566-2:2008+A1:2009             |

to which this declaration relates is in conformity with  
**System 4 of (EU) No 305/2011 and EN14566**

**Notified Body: 1015 STROJIRENSKY ZKUSEBNI USTAV s.p.**

**Address: Tovarni 5,466 21 Jablonec nad Nisou Czech Republic**



**Manufacturer:**

*For and on behalf of*  
**HISENER INDUSTRIAL CO., LTD.**

.....  
*Authorized Signature(s)*

\_\_\_\_\_  
**Signature**

\_\_\_\_\_  
**2018-11-08**

**Date of Issue**